

TEST REPORT

No. : SZIN2008011360SC

Date : Aug 31, 2020

Page: 1 of 4

scan to see the report



SZIN2008011360SC

CUSTOMER NAME: MID OCEAN BRANDS B.V
ADDRESS: 7/F., KINGS TOWER, 111 KING LAM STREET, CHEUNG SHA WAN,
KOWLOON, HONGKONG

Sample Name : R-PET LANYARD
Product Specification : 2.0*(80+10)CM
Material and Mark : R-PET
Other Information : ML1303/ML1304/ML1316/ML1103/ML1203/ML3104

Above information and sample(s) was/were submitted and confirmed by the client. SGS, however, assumes no responsibility to verify the accuracy, adequacy and completeness of the sample information provided by client.

SGS Ref. No. : GZF20-017311-01
Date of Receipt : Aug 18, 2020
Testing Start Date : Aug 18, 2020
Testing End Date : Aug 31, 2020
Test result(s) : For further details, please refer to the following page(s)
(Unless otherwise stated the results shown in this test report refer only to the sample(s) tested)

Signed for
SGS-CSTC Standards Technical
Services Co., Ltd. Shenzhen Branch
Testing Center

James Zheng
Authorized signatory



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com
SGS Bldg, No. 4, Jianghao Industrial Park, No. 430, Jilua Road, Bantian, Longgang District, Shenzhen, China 518129 t (86-755) 25328282 f (86-755) 83197625 www.sgs.com.cn
中国·深圳·龙岗区坂田吉华路430号江灏工业园4栋SGS大楼 邮编: 518129 t (86-755) 25328282 f (86-755) 83197625 e sgs.china@sgs.com

TEST REPORT

No. : SZIN2008011360SC

Date : Aug 31, 2020

Page: 2 of 4

Sample Description:

Specimen No.	SGS Sample ID	Description
1	GZF20-017311.001	Lanyard

Conclusion:

Name of test bacteria (Strain number)	Antibacterial value:A	Efficacy of antibacterial property	Comment
<i>Staphylococcus Aureus</i> (ATCC 6538)	4.9	Antibacterial value $2 \leq A < 3$, the efficacy of antibacterial property of the test fabric can be considered significant;	Pass, the efficacy of antibacterial property of the test fabric can be considered strong
<i>Klebsiella pneumoniae</i> (ATCC 4352)	7.1	Antibacterial activity $A \geq 3$, the efficacy of antibacterial property of the test fabric can be considered strong	Pass, the efficacy of antibacterial property of the test fabric can be considered strong



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS Bldg, No.4, Jianghao Industrial Park, No.430, Jilua Road, Bentian, Longgang District, Shenzhen, China 518129 t (86-755) 25328282 f (86-755) 83197625 www.sgsgroup.com.cn
 中国·深圳·龙岗区坂田吉华路430号江灏工业园4栋SGS大楼 邮编: 518129 t (86-755) 25328282 f (86-755) 83197625 e sgs.china@sgs.com

TEST REPORT

No. : SZIN2008011360SC

Date : Aug 31, 2020

Page: 3 of 4

Test result(s):

Antibacterial Assessment for the submitted sample

Test method: ISO 20743:2013 8.1 Absorption method

Name of test bacteria (Strain number)	<i>Staphylococcus Aureus</i> (ATCC 6538)		<i>Klebsiella pneumoniae</i> (ATCC 4352)	
Concentration of inoculum (CFU/mL)	2.2 × 10 ⁵		1.1 × 10 ⁵	
Difference of extremes for the three control specimens(lg) (condition: less than 1)	0h	24h	0h	24h
	< 0.1	< 0.1	< 0.1	0.1
Difference of extremes for the three antibacterial testing specimens(lg) (condition: less than 2)	0h	20h	0h	20h
	< 0.1	0.4	0.1	0.0
The growth value on the control sample F (F=lgC _t -lgC ₀)	+2.6 (lgC _t : +7.2, lgC ₀ : +4.6)		+4.0 (lgC _t : +8.4, lgC ₀ : +4.4)	
The growth value on the antimicrobial-treated sampleG (G =lgT _t -lgT ₀) *	-2.3 (lgT _t : +2.3, lgT ₀ : +4.6)		-3.1 (lgT _t : +1.3, lgT ₀ : +4.4)	
Antibacterial activity value (A=F-G)	4.9		7.1	
Measuring method	Plate count method			
Sterilization method	/			
Incubation time	24h			

Remark:

1. The control sample is 100% cotton fabric, provided by SGS lab.
2. *In case of C₀> T₀, substitute C₀ for T₀.
3. Test the lanyard part.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS Bldg, No. 4, Jianghai Industrial Park, No. 430, Jilua Road, Bantian, Longgang District, Shenzhen, China 518129 t (86-755) 25328282 f (86-755) 83197625 www.sgsgroup.com.cn
 中国·深圳·龙岗区坂田吉华路430号江湾工业园4栋SGS大楼 邮编: 518129 t (86-755) 25328282 f (86-755) 83197625 e sgs.china@sgs.com

TEST REPORT

No. : SZIN2008011360SC

Date : Aug 31, 2020

Page: 4 of 4

Sample photo:



Appendix information:

The above test was carried out by SGS-CSTC Standards Technical Services Co., Ltd. Guangzhou Branch.

***** End of report*****



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Testing Center - Materials Laboratory

SGS Bldg, No. 4, Jianghao Industrial Park, No. 430, Jilua Road, Bentian, Longgang District, Shenzhen, China 518129 t (86-755) 25328282 f (86-755) 83197625 www.sgs.com
中国·深圳·龙岗区坂田吉华路430号江灏工业园4栋SGS大楼 邮编: 518129 t (86-755) 25328282 f (86-755) 83197625 e sgs.china@sgs.com